


This tutorial demonstrates how to edit a document interactively with the Acrobat Check-in/Check-out plug-in. This way, the document stays part of the Asanti system, which limits the re-processing and processing time.


Download the Asanti Sample Files via the Asanti Client, via
 Help > Asanti Online > Download Sample Files.


1. Change the dimensions

1. Create a **New Layout Job**.
2. Select an **Anapurna M2500** printer.
3. Select as Media **650 x 500 mm**.
4. Drop the file *EVP85x11.pdf* on the images pane.
5. In the Image pane, context-click the image, and select **Check Out and Edit Document**.
6. Acrobat opens automatically, and it jumps to the selected page. When the server runs on a different computer, you might notice that a connection is made.



7. In Acrobat, open the Tools-tab, and select the Apogee DocuBox Manager plug-in.
8. Click "Add" to add a shortcut in the right Tool bar.








9. Open the Apogee DocuBox Manager, and select the **Settings Dialog**.





- 10. Select the **MediaBox** and select the **Coordinates**.
- 11. Change the Bottom value to 60 mm.
- 12. Select the **CropBox**, and click **Delete Box**.
- 13. Select the **ArtBox**, and click **Delete Box**.



14. Open the Tools-tab, and select the Check-in/Check-Out plug-in. Click "Add" to add a shortcut in the right Tool bar.





15. Open the Check-in/Check-Out plug-in
16. Click the “Apogee Prepress” button centered above, and select **Check-In**.
17. Click **Save** to apply the changes, and you will be guided back to the Asanti Layout Editor.
 - In Asanti, the file will be updated.
 - You will see that the MediaBox changes are applied.
 - The file name will get an [1], to mark it as the first revision.



2. Add a White color

1. Create a New Layout job.
2. In the Job Set-up pane, select the **Anapurna M2500** printer.
3. Drop the *Agfa Flag.pdf* on the Images Pane.
4. Choose as Media **650 x 500 mm**.
5. Enable **White**.
6. Select **From Image** and **Pre-white (On White calibration)**.
7. Select a CMP that supports White Printing, e.g. **HighDens-8P Uni 720x1440 – 6C**.
8. Click **Apply Changes**.
9. After updating, context-click the image, and select **Check Out and Edit Document**.
10. In Acrobat, open the Tools, and select the Apogee SpotCreator plug-in.




11. Click “Add” to add a shortcut in the right Tool bar.
12. Open SpotCreator, and select  **Manage Spots**
13. Add a new Spot.




Name: White

Color: select white from the “basic colors” list.


Intensity: 50%

NOTE: the color that we select to represent white in Acrobat is not important for the printing process.


14. Click **OK**.
15. Now open  **SpotCreator LineArt Selector**
16. Select the red rhombus of the Agfa-logo.
17. Select Spot: White, and click on the Cover-button



- 18. Alternatively, click x to close the PDF.
A message will pop up.



- 19. Click **Save** to apply the changes and you will be guided back to the Asanti Layout Editor.
The file in the Images pane will be updated.
- 20. Context-click **Edit with Preview...**
- 21. In the Ink Palette (Windows>Palettes>Show Inks), you will see the cover values for the white ink, when selecting an area in the red rhombus.
NOTE: the white color visualization in the Preview can be changed by clicking on the color rectangle in front of white in the Inks Palette.



3. Edit the content of a page

1. Go to the Jobs section, and create a **New Layout Job**.
2. Select the **Anapurna M2500** as printer.
3. Choose as Media **650 x 500 mm**.
4. Drop the *Do Not Disturb.pdf* on the Images Pane.
5. After processing, Context-click and select **Check Out and Edit Document**.
6. In Acrobat, open the **Edit PDF** tool.
7. Click on some objects and delete them, e.g. the Asanti dots and the swoosh.



8. Click **x** to close the PDF.
9. Click **Save** to apply the changed and you will be guided back to the Asanti Layout Editor.
10. The changed will be applied.
11. Click **Submit Job** and delete it.

4. Remarks

- Check-in/Check-Out is only possible when the input file is a PDF or Ai format. EPS files and bitmap files can't be edited via this plug-in.

